

HAWAII PRODUCTS LIST

WEST HAWAII CONCRETE
P. O. Box 1390
Kailua-Kona, Hawaii 96745-1390

Phone - (808) 532-3423

AVAILABLE ON THE ISLAND OF HAWAII

<u>PRODUCT</u>	<u>CLASS</u>
CONCRETE MIXES (Portland Cement)	
2000 PSI STD Concrete	I – 10%
2500 PSI STD Concrete	I – 10%
3000 PSI STD Concrete	I – 10%
3500 PSI STD Concrete	I – 10%
4000 PSI STD Concrete	I – 10%
5000 PSI STD Concrete	I – 10%
2500 PSI Pump Concrete	I – 10%
3000 PSI Pump Concrete	I – 10%
2500 PSI Grout	I – 10%
3000 PSI Grout	I – 10%
2500 PSI Chip Concrete	I – 10%
3000 PSI Chip Concrete	I – 10%
2500 PSI Pump Chip Concrete	I – 10%
3000 PSI Pump Chip Concrete	I – 10%
3000 PSI Gunite	I – 10%
3500 PSI Gunite	I – 10%
Other – According to customer's specifications	I – 10%
BASALT AGGREGATE AND BASALT SAND	
#3 A'A Screened	I – 10%
1' Minus Dirt Fill	I – 10%
1 ½" Base Course	I – 10%
1 ½" Cinder Drain Rock	I – 10%
1 ½" Drain Rock	I – 10%
2 ½" Base Rock	I – 10%
2 ½" Drain Rock	I – 10%
2 ½" Surge Rock	I – 10%
3/16" Chips	I – 10%
¾" Base Course	I – 10%
3/8" Chips	I – 10%
3/8" Cinder Chips	I – 10%
3/8" Minus Cinder Sand	I – 10%
3/8" Minus Cinder Soil	I – 10%
3/8" Sand (S4C)	I – 10%
6" Minus Dirt Fill	I – 10%
6" Minus Fill	I – 10%

<u>PRODUCT</u>	<u>CLASS</u>
BASALT AGGREGATE AND BASALT SAND (Continue)	
A'A Stone (Pit Run)	I – 10%
Crusher Run Structural Fill	I – 10%
Dirt Fill Pit Run	I – 10%
Limestone #3 Gravel	I – 10%
Limestone Masonry Sand	I – 10%
Mixed Sand & Gravel	I – 10%
No. 3 Cinder Gravel	I – 10%
No. 3 Gravel -#3 Course	I – 10%
No. 3 Gravel -#3B Fine	I – 10%
No. 4 Cinder Sand	I – 10%
No. 4 Sand	I – 10%
Pit Run Fill	I – 10%
Rockwall Rock (1-2 Man)	I – 10%
Screened/Mortar Sand	I – 10%
Unprocessed Cinder	I – 10%
Other – According to customer's specifications	I – 10%
*Controlled Low Strength Material (CLSM)(Flowable Fill)	I – 10%

Quality Standards manufacturer claims to be met by products:

ASTM and DOT of Hawaii Standards

Effective Date: April 26, 2011

HAWAII PRODUCTS LIST

WEST HAWAII CONCRETE
P. O. Box 1390
Kailua-Kona, Hawaii 96745-1390

Phone - (808) 532-3423

AVAILABLE ON THE ISLAND OF HAWAII

PRODUCT

CLASS

(see attached sheet)

Quality Standards manufacturer claims to be met by products:

ASTM/AHSTO

Item_Description
12X4X16 END
12X8X12 COLUMN BLOCK
12X8X16 RUNNER
12X8X16 1-SCORE (SCO)
12X8X16 1-SCO KO
12X8X16 5-SCORE **
12X8X16 5-SCORE END
12X8X16 5-SCO KO
12X8X16 END
12X8X16 KNOCKOUT
12X8X16 SPLIT-FACE(SPF)
12X8X16 SP-F KO
12X8X8 HALF
12X8X8 5-SCORE **
12X8X8 5-SCO 2S END HLF
12X8X8 SPLIT-FACE
16X8X16 COLUMN BLOCK
4X4X16 END
4X4X8 HALF
4X8X16 END
4X8X16 END
4X8X8 HALF
4X2X16 CAP
6X4X16 RUNNER
6X4X16 L-RETURN
6X4X8 HALF
6X8X16 RUNNER
6X8X16 5-SCORE L
6X8X16 END
6X8X16 KNOCKOUT
6X8X16 L-RETURN
6X8X16 RUNNER & END
6X8X16 SPLIT-FACE
6X8X16 SP-F END
6X8X16 SP-F L
6X8X8 HALF
6X8X8 SPLIT-FACE
6X8X8 SP-F END
6X2X16 CAP
6" SILLS
8X4X16 END
8X4X8 HALF
8X8X16 RUNNER
8X8X16 1-SCORE
8X8X16 1-SCO KO
8X8X16 5-SCORE **
8X8X16 5-SCORE END **
8X8X16 5-SCO KO
8X8X16 BOND BEAM KO
8X8X16 BULL NOSE
8X8X16 BULL NOSE 1-SCO
8X8X16 END
8X8X16 SPLIT-FLUTED (SPF)
8X8X16 SP-FL BRW
8X8X16 SP-FL END

8X8X16 SP-FL KO
8X8X16 SP-FL TAN/BF
8X8X16 GROUT LOCK SPEED
8X8X16 KNOCKOUT
8X8X16 RUNNER RED
8X8X16 RUNNER & END
8X8X16 RN-E TN/BF
8X8X16 RUNNER KNOCKOUT
8X8X16 SPLIT-FACE
8X8X16 SPLIT FACE 3 SCORE
8X8X16 SP-F END
8X8X16 SP-F 1END 3SCORE
8X8X16 SP-FACE END BRWN
8X8X16 SP-F END BRW
8X8X16 SP-F END-RD
8X8X16 SP-F KO
8X8X16 SP-F K/O 3SCORE
8X8X16 SP-F KO-BRW
8X8X16 SP-F KO-RED
8X8X16 SP-F BROWN
8X8X16 SP-F RED
8X8X16 SP-F TAN/BF
8X8X8 HALF
8X8X8 5-SCORE **
8X8X8 5-SCO 2S
8X8X8 5-SCO 2S END
8X8X8 5-SCORE END **
8X8X8 SPLIT-FACE
8X8X8 SP-F 2S
8X8X8 SPLIT FACE 3 SCORE
8X8X8 SASH BLOCK
8X8X8 SP-F END
8X8X8 SP-F BRW
8X8X8 SP-F RED
8X2X16 CAP
8X2X16 CAP BRW
8X2X16 CAP TAN/BUFF
8" SILLS
8" SILL RED
16X6X16 FOOTING BLOCK
ALL SIZES OF KEYSTONE
ALL SIZES OF SECONDS -L1
ALL SIZES OF SECONDS -L2
ALL SIZES OF SECONDS -L3
ALL SIZES OF SECONDS -L4
ALL SIZES OF SECONDS -L5
ALL SIZES OF SECONDS -L6
7X4X7 TERMITE BLOCK